

SAFETY DATA SHEET - VETMEC STRIKEMASTER SPRAY-ON BLOWFLY TREATMENT

Section 1 – Identification of Product and Supplier

Supplier Company Details: Chemvet Australia Pty Ltd
Address: 1/8 Rocklea Drive, Port Melbourne, VIC 3207
Telephone Number: 03 96453543
Facsimile Number: 03 96453563
Emergency Number: Australian Poisons Information Centre: 13 11 26 (24 Hour Service).

PRODUCT NAME VETMEC STRIKEMASTER SPRAY-ON BLOWFLY TREATMENT

PRODUCT USE For the protection of sheep, either off-shears or with any length wool, against fly strike (*Lucilia cuprina*), for 18 to 24 weeks. For the protection of mulesing and marking wounds on sheep against fly strike (*Lucilia cuprina*) during the wound healing process.

Section 2 – Hazards Identification

Statement of Hazardous Nature

This product is classified as: Xn, Harmful. N, Dangerous to the environment. Hazardous according to the criteria of SWA.

SUSMP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

UN Number: None allocated

GHS Signal word: **None.**

GHS Classification: Hazardous to the Aquatic Environment-Acute Hazard-Category 3.

HAZARD STATEMENT: H402: Harmful to aquatic life.

PREVENTION P261: Avoid breathing fumes, mists, vapours or spray. P262: Do not get in eyes, on skin, or on clothing.

RESPONSE P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P370+P378: Not combustible. Use extinguishing media suited to burning materials. P391: Collect spillage.

DISPOSAL P501: Dispose of contents and containers as specified on the registered label.

SAFETY DATA SHEET - VETMEC STRIKEMASTER SPRAY-ON BLOWFLY TREATMENT

EMERGENCY OVERVIEW

Physical Description & Colour: Pink liquid emulsion.

Odour: No data.

Major Health Hazards: No significant risk factors have been found for this product.

POTENTIAL HEALTH EFFECTS INHALATION

Short Term Exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term inhalation.

SKIN CONTACT

Short Term Exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. However, product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term skin exposure.

EYE CONTACT

Short Term Exposure: This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term eye exposure.

INGESTION

Short Term Exposure: Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

CARCINOGEN STATUS

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 3- Composition / Information on Ingredients

INGREDIENTS:

Chemical name	CAS No.	Conc., %	TWA (mg/m ³)	STEL (mg/m ³)
Dicyclanil	112636-83-6	5%	not set	not set
Other non-hazardous ingredients	Secret	to 100	not set	not set

SAFETY DATA SHEET - VETMEC STRIKEMASTER SPRAY-ON BLOWFLY TREATMENT

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non-hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4- First Aid Measures

Call Poisons Information Centre Phone Australia 131 126, if you feel that you may have been poisoned or irritated by this product.

- Swallowed:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.
- Skin:** Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.
- Eye:** No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.
- Inhaled:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Section 5- Fire Fighting Measures

- Fire and Explosion Hazards:** The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.
- Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.
- Extinguishing Media:** Not combustible. Use extinguishing media suited to burning materials. Avoid the use of water jets.
- Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.
- Flash point:** Does not burn.

SAFETY DATA SHEET - VETMEC STRIKEMASTER SPRAY-ON BLOWFLY TREATMENT

Upper Flammability Limit:	Does not burn.
Lower Flammability Limit:	Does not burn.
Autoignition temperature:	Not applicable - does not burn.
Flammability Class:	Does not burn.

Section 6 - Accidental Release Measures

Accidental release: Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. No special recommendations for clothing materials. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the clean-up area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8). Otherwise, it is not normally necessary. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this MSDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: KEEP OUT OF REACH OF CHILDREN.
Store below 30° C (Room Temperature). Protect from frost. Store in original container tightly closed in a dry, cool place. DO NOT store in direct sunlight. DO NOT re-use the container.

Section 8 - Exposure Controls / Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: **AS/NZS 4501 set 2008**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits TWA (mg/m³) STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Dicyclanil is set at 0.002mg/kg/day. The corresponding NOEL is set at 0.2mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, March 2016.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

- Ventilation:** This product should only be used in a well-ventilated area. If natural ventilation is inadequate, use of a fan is suggested.
- Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.
- Skin Protection:** Avoid contact even with mild skin irritants. Therefore, wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable material types.
- Protective Material Types:** Protective clothing be made from the following material: PVC.
- Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

Section 9 - Physical and Chemical Properties

- Description & colour:** Pink liquid emulsion.
- Odour:** No data.
- Boiling Point:** Not available.
- Freezing/Melting Point:** No specific data. Liquid at normal temperatures.
- Volatiles:** No data.
- Vapour Pressure:** No data.

SAFETY DATA SHEET - VETMEC STRIKEMASTER SPRAY-ON BLOWFLY TREATMENT

Vapour Density:	No data.
Specific Gravity:	1.01-1.03 at 20°C
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	No data.
Viscosity:	No data.
Autoignition temp:	Not applicable - does not burn.

Section 10 - Stability and Reactivity

Reactivity:	This product is unlikely to react or decompose under normal storage conditions. However, if any doubts, contact the supplier for advice on shelf life properties.
Conditions to Avoid:	Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.
Incompatibilities:	Strong oxidising agents.
Fire Decomposition:	Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally, hydrogen cyanide gas in reducing atmospheres. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death. Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

LOCAL EFFECTS:

Target Organs:	There is no data to hand indicating any particular target organs.
Sensitisation, Skin:	Non-sensitiser (Based on studies using similar formulation on Guinea pigs)
Chronic Toxicity:	Dicyclanil technical has been extensively tested on laboratory mammals and in test-tube systems. No evidence of mutagenic, carcinogenic, teratogenic or reproductive effects was obtained.

Classification of hazardous ingredients

Ingredient	Risk Phrases
No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.	

For Dicyclanil:	LD50 (Oral), Rat 520mg/kg LD50 (Dermal), Rabbit >2000mg/kg
------------------------	------------------------------------------------------------

SAFETY DATA SHEET - VETMEC STRIKEMASTER SPRAY-ON BLOWFLY TREATMENT

Section 12 - Ecological Information

ENVIRONMENTAL PROTECTION

DO NOT contaminate dams, rivers or streams with the product or used containers.

Disposal Information: Dispose of any clean-up materials according to local regulations.

Section 13 – Disposal Information

Disposal: Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

Section 14 - Transport Information

Dangerous Goods Class and

Subsidiary Risk: None allocated.

This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

Poisons Schedule: None allocated.

APVMA Approval Number: 87901 (**Approved Pack Sizes:** 1L, 5L, 20L and 22L)

For more information please refer to the APVMA approved product label

Section 16 – Other Information

Chemvet Australia Pty Ltd

Telephone Number: 03 96453543

Facsimile Number: 03 96453563

Emergency Number: Australian Poisons Information Centre: 13 11 26 (24 Hour service).

SAFETY DATA SHEET - VETMEC STRIKEMASTER SPRAY-ON BLOWFLY TREATMENT

This Safety Data Sheet (SDS) summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace.

Each user must review this SDS in the context of how the product will be handled and used in the workplace.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.