



# 35g/L IMIDACLOPRID

For the control of susceptible body lice Bovicola ovis on shorn sheep up to 7 days offshears and unshorn lambs up to 2 months of age. Protects sheep against re-infestation with lice for 4 weeks after treatment when applied within 24 hours of shearing.

### **BENEFITS**

- > Knockdown, pour-on lice treatment kills lice fast (including strains resistant to other chemicals)
- > 4 weeks residual protection!
- > Flexible can be applied up to 7 days after shearing
- Safe and effective to use on unshorn lambs up to 2 months of age
- > Rainfast rain before or after treatment
- > High volume dose for better coverage and spread
- > No need to keep sheep penned after application
- > Easy application using a Chemvet Magnum T-Bar Applicator – Draw-off tube with 6 M hose available – treat the whole race straight from the Drum without need for backpack!
- May be used in conjunction with worm control drenches and at the same time as vaccination
- > Contains a blue dye to identify treated sheep

## **WITHHOLDING PERIODS:**

**MEAT:** DO NOT USE less than 21 days before slaughter for human consumption.

**MILK:** DO NOT USE on ewes which are producing or may in the future produce milk that may be used or processed for human consumption.

WOOL: DO NOT USE less than 6 months before shearing or fibre collection.

ESI: 63 Days

## **CHEMVET AUSTRALIA**

The company leading the way in producing affordable cattle and sheep animal health products for sale direct to the Australian Producer. Fully Australian owned and all products manufactured in Australia.

### **PROFESSIONAL SUPPORT**

Professional veterinary advice on anti-parasite programs and parasite monitoring service always available

## **DOSAGE AND ADMINISTRATION:**

BODYWEIGHT (kg)	DOSE (ml)	METHOD	APPLY IN THE PATTERN BELOW
Below 6.0	8	Single Stripe	
6.0 - 8.0	12		
8.1 - 10.0	15		
10.1 - 12.5	20		
12.6 - 15.0	25		
15.1 - 20.0	30		
20.1 - 30.0	40		
30.1 - 55.0	60	Double Stripe	
55.1 - 80.0	80		
80.1 - 100	90		

