

Label: Immediate Container, 4 Panel – front, side 1, side 2, and back
Product: Vetmec LV Plus Selenium Oral Drench for Sheep
Version: 9.2.04 APVMA update
Pack Size: 5L.
Panel: **(Page 1/6) Front Panel**

Text above this line is not included in the Label

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING

FOR ANIMAL TREATMENT ONLY

Label image proudly supplied by


Infopest

infopest@dpi.qld.gov.au

VETMEC LV PLUS SELENIUM ORAL DRENCH FOR SHEEP

Abamectin	2.0 g/L
Selenium (as sodium Selenante)	1.0 g/L

APVMA
APPROVED
LABEL
COPY

For the treatment and control of Abamectin sensitive strains of gastrointestinal roundworms and lungworm in sheep, including benzimidazole and levamisole resistant strains. For the treatment and control of nasal bot in sheep. For the treatment and prevention of selenium deficiencies in sheep.

5 L

Label: Immediate Container, 4 Panel – front, side 1, side 2, and back
Product: Vetmec LV Plus Selenium Oral Drench for Sheep
Version: APVMA Update 9.2.04
Pack Size: 5L.
Panel: (Page 2/6) Back Panel

Text above this line is not included in the Label

VETMEC LV PLUS SELENIUM ORAL DRENCH FOR SHEEP

Vetmec LV plus Selenium contains abamectin, a member of the macrocyclic lactone family of chemicals. It is effective against abamectin sensitive strains of the following internal parasites

ADULT AND IMMATURE GASTROINTESTINAL ROUNDWORMS

Barbers Pole Worm	<i>(Haemonchus contortus)</i>
Small Brown Stomach Worms	<i>(Ostertagia spp)</i>
Black Scour Worms	<i>(Trichostrongylus spp)</i>
Small Intestinal Worms	<i>(Cooperia spp)</i>
Thin Necked Intestinal Worms	<i>(Nematodirus spp)</i>
Large Bowel Worm	<i>(Oesophagostomum venulosum)</i>

LUNGWORM *(Dictyocaulus filaria)*

For the control of Nasal Bot *(oestrus ovis)*
For the treatment and prevention of selenium deficiencies in sheep

Resistance may develop to any drench.

Ask your local veterinary practitioner or animal health advisor for recommended parasite management practises for your area to reduce development of resistance. It is advisable that a drench-resistance test be conducted before any drench is used.

DIRECTION FOR USE

Do not use in lactating ewes producing milk for human consumption or processing.

Do not treat lambs under six (6) weeks of age.

This product contains selenium and should only be used in selenium deficient areas.

If in doubt as to the selenium status of the sheep and lambs, consult your veterinarian or state agricultural authority.

Do not administer to sheep or lambs grazing pasture known to be high in selenium or where selenium accumulating plants are known to occur (eg: SE Queensland).

Label: Immediate Container. 2 Panel - front and back
Product: Vetmcc LV Plus Selenium Oral Drench for Shcep
Version: APVMA Update 9.2.04
Pack Size: 5L.
Panel: **(Page 3/6) Back Panel (contin.)**

Text above this line is not included in the Label

To control white muscle disease in lambs, treat pregnant ewes 2-6 weeks before lambing and at marking. On properties where selenium responsive illthrift has been diagnosed, treat lambs at weaning and again 6-10 weeks later.

During early pregnancy, accurate dosing is important and particular care should be taken to avoid overdosing.

This product should only be used when drenching is required according to a worm control program. If selenium is required at other times it should be administered by way of other products.

Do not use Vetmec LV plus Selenium where selenium is being provided by other means eg: drench, vaccine, pellets or pasture top-dressing.

DOSAGE AND ADMINISTRATION

1 mL Vetmec LV plus Selenium per 10 Kg bodyweight.

Drench sheep orally, using an appropriate drench gun.

During drenching, regularly check drench gun to ensure it is delivering the correct dose. A representative sample of the animals should be weighed before treatment.

Dose the mob to the heaviest animal by liveweight in each group (ewes, wethers, rams, lambs). Do not underdose.

Where there is a large variation in size within the group, dose rate should be based on the label directions for each weight range. Drafting into two lines may be appropriate, to avoid excessive overdosing.

Label: Immediate Container. 2 Panel - front and back
Product: Vetmec LV Plus Selenium Oral Drench for Sheep
Version: 20.10.03 Registration APVMA Update 9.2.04
Pack Size: 5L.
Panel: **Page 4/6 Side Panel 1**

Text above this line is not included in the Label

VETMEC LV PLUS SELENIUM

ORAL DRENCH FOR SHEEP

Bodyweight Kg	Dose Volume mL	5L Pack Treats	10L Pack Treats
16 - 20	2.0	2500	5000
21 - 25	2.5	2000	4000
26 - 30	3.0	1666	3333
31 - 35	3.5	1428	2857
36 - 40	4.0	1250	2500
41 - 45	4.5	1111	2222
46 - 50	5.0	1000	2000
51 - 55	5.5	909	1818
56 - 60	6.0	833	1666
61 - 65	6.5	769	1538
66 - 70	7.0	714	1428
71 - 75	7.5	666	1333

Sheep in excess of 75 kg should be dosed at 1 ml/10 kg

WITHHOLDING PERIODS:

DO NOT USE LESS THAN 14 DAYS BEFORE SLAUGHTER FOR HUMAN CONSUMPTION.

DO NOT USE IN LACTATING EWES PRODUCING MILK FOR HUMAN CONSUMPTION OR PROCESSING.

SAFETY DIRECTIONS

Poisonous if swallowed. May irritate eyes and skin. Avoid contact with eyes and skin. When opening the container and using the product wear rubber gloves. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face with soap and water.

FIRST AID

If poisoning occurs contact a doctor or the Poisons Information Centre. (Ph:131126). If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

Label: Immediate Container, 2 Panel - front and back
Product: Vetmcc LV Plus Selenium Oral Drench for Sheep
Version: APVMA Update 9.2.04
Pack Size: 5L.
Panel: **Page 5/6 Side Panel 1 (cont.)**

Text above this line is not included in the Label

Additional information is available in the Material Safety Data Sheet for this product. For a copy phone 1800 243683

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Do not contaminate dams, rivers or streams with the drench or used containers.

DISPOSAL

Destroy empty containers by breaking, crushing, puncturing or shredding them where applicable. Dispose of the containers at a local authority landfill that does not burn its refuse. If there is no local authority landfill readily available in your area, bury the containers at a depth of not less than 500 mm at a licensed / approved disposal site. In some states wastes can only be buried at a licensed landfill. Do not burn empty containers or product.

STORAGE

Store below 30oC (room temperature) in original container, tightly closed in a cool, dry place. Protect from the light

MANUFACTURERS WARRANTY AND EXCLUSION OF LIABILITY

This product is warranted fit for the purposes specifically recommended by Chemvet Australia Pty Ltd when used strictly as directed on this label. All other warranties and obligations or liabilities whether expressed or implied by statute or otherwise, are excluded to the full extent that exclusion is permitted by law

APVMA Approval No: 58389 / 5 / 0204

Batch
Expiry

Label: Immediate Container, 2 Panel - front and back
Product: Vetmec LV Plus Selenium Oral Drench for Sheep
Version: APVMA Update 9.2.04
Pack Size: 5L.
Panel: **Page 6/6 Side Panel 2 (cont.)**

Text above this line is not included in the Label

Chemvet Australia Pty Ltd., ACN 059 380 068, 42 Somers Ave., Malvern, VIC 3144.
Phone 1800 243 683