

Chemvet Australia Pty Ltd

SAFETY DATA SHEET

Section 1 – Identification of Product and Supplier

PRODUCT NAME: Vetmec Moxiguard Long Acting Injection for Sheep

Synonyms:

PRODUCT USE: For the treatment and control of roundworms, nasal bot and itchmite in sheep.

Supplier Company Details: Chemvet Australia Pty Ltd

Address: Unit 1, 8 Rocklea Drive, Port Melbourne, Victoria, 3207, Australia

Telephone Number: 1800 243 683

Email: mgrant@chemvet.com.au

Website: www.chemvet.com.au

Emergency Number: 1800 243 683 or the Australian Poisons Information Centre 13 11 26.

Section 2 – Hazards Identification

Statement of Hazardous Nature

This product is classified as: Classified as hazardous according to Safe Work Australia criteria.

ADG Classification: None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

GHS CLASSIFICATION

Acute Toxicity Oral – Category 4

Specific target organ toxicity, repeated exposure – Category 1

Acute Aquatic Haard – Category 2

Signal Word: DANGER

Pictograms:



HAZARD STATEMENT

H302: Harmful if swallowed.

H372: May cause damage to organs through prolonged or repeated exposure.

H410: Toxic to aquatic life.

PREVENTION

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash all exposed external body areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

RESPONSE

P301 + P330 +P331: IF SWALLOWED, rinse mouth, do NOT induce vomiting.

P314: Get medical advice/attention if you feel unwell.

STORAGE

P410 + P412: Store below 30°C (Room Temperature). Protect from sunlight.

DISPOSAL

P501: Dispose of container by wrapping with paper and putting in the garbage.

Section 3 – Composition / Information on Ingredients

INGREDIENTS:

| Chemical Name | CAS No. | Concentration % |
|---------------------------------|-------------|-----------------|
| Moxidectin | 113507-06-5 | 2% |
| Other non-hazardous Ingredients | - | Remainder |

Section 4 – First Aid Measures

Call Poisons Information Centre Phone Australia 131 126, if you feel that you may have been poisoned or irritated by this product.

Inhalation: If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.

Ingestion: IF SWALLOWED, REFER FOR MEDICAL ATTENTION WHERE POSSIBLE, WITHOUT DELAY. For advice, contact a Poisons Information Centre or a doctor. Urgent hospital treatment is likely to be needed. In the meantime, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition. If the services of a medical officer or medical doctor are readily available, the patient should be placed in his/her care and a copy of the SDS should be provided. Further

action will be the responsibility of the medical specialist. Where medical attention is not immediately available or where the patient is more than 15 minutes from a hospital or unless instructed otherwise: INDUCE vomiting with fingers down the back of the throat, ONLY IF CONSCIOUS. Lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. NOTE: Wear a protective glove when inducing vomiting by mechanical means.

Skin Contact: If skin contact occurs, immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.

Eye Contact: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing for at least 20 minutes. If eye irritation persists, get medical advice/attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Injection: WARNING: AVOID SELF-INJECTION. Accidental self-injection may cause an inflammatory or allergic response and medical advice should be sought in these cases. Deep injections, particularly if they are near a joint or associated with local bruising may require medical management. In most circumstance application of gentle pressure with absorbent material, e.g., facial tissues, to the needle puncture area to swab up unabsorbed product followed by cleaning of the damaged area with a suitable disinfectant will be sufficient to prevent problems.

Recommended First Aid Facilities: Ready access to running water and soap is required. Accessible eyewash is required.

Section 5 – Fire Fighting Measures

Extinguishing Media: Foam. Dry chemical powder. BCF (where regulations permit). Caron dioxide. Water spray or fog – large fires only.

Fire Incompatibility: Avoid contamination with oxidising agents, i.e., nitrates, oxidising acids, chlorine bleaches, pool chlorine, etc., as ignition may result.

Fire/Explosion Hazards: Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). May emit acrid smoke. Mists containing combustible materials may be explosive. Combustion products include carbon dioxide (CO₂) and other pyrolysis products typical of burning organic material. May emit poisonous fumes.

Protective Equipment and precautions for fire fighters: Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use firefighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.

Section 6 – Accidental Release Measures

Methods and Material for Containment and Cleaning Up

Small Spills: Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.

Large Spills: Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Neutralise/decontaminate residue (see Section 13 for specific agent). Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains. After clean-up operations, decontaminate and launder all protective clothing and equipment before storing and re-using. If contamination of drains or waterways occurs, advise emergency services.

Section 7 – Handling and Storage

Handling: Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

Storage: Store below 30°C. Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks.

Section 8 – Exposure Controls / Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

SWA Exposure Limits TWA (mg/m³) STEL (mg/m³): Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Moxidectin is set at 0.01mg/kg/day. The corresponding NOEL is set at 0.1 mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, December 2025.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Appropriate Engineering Controls: Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

Personal Protective Equipment (PPE):

Eye/Face Protection: Chemical goggles Face shield. Full face shield may be required for supplementary but never for primary protection of eyes. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly.

Skin/Hand Protection: Wear chemical protective gloves, e.g., PVC. Wear safety footwear or safety gumboots, e.g., Rubber NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include frequency and duration of contact, chemical resistance of glove material, glove thickness and dexterity.

Section 9 – Physical and Chemical Properties

| | |
|------------------------------------|----------------|
| Physical State | Liquid |
| Odour | Musty |
| pH | Not available. |
| Melting/Freezing Point (°C) | Not available. |
| Boiling Point | 106-108 |
| Vapour Pressure | 2.37 (water) |
| Viscosity | Not available. |
| Relative Density | Not available. |

Section 10 – Stability and Reactivity

Chemical Stability: Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.

Hazardous Decomposition Products: Decomposition may produce toxic fumes of carbon dioxide (CO₂), other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes.

Section 11 – Toxicological Information

Acute Toxicity: Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.

Moxidectin:

Dermal (rabbit) LD₅₀: >2000 mg/kg

Oral (rat) LD₅₀: 106 mg/kg

Eye (rabbit): slight irritant

Skin (rabbit): non-irritant

Chronic Toxicity: Harmful: danger of serious damage to health by prolonged exposure if swallowed. Serious damage (clear functional disturbance or morphological change which may have toxicological significance) is likely to be caused by repeated or prolonged exposure. As a rule, the material produces, or contains a substance which produces severe lesions. Such damage may become apparent following direct application in sub chronic (90 day) toxicity studies or following sub-acute (28 day) or chronic (twoyear) toxicity tests. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.

Section 12 – Ecological Information

Moxidectin is extremely toxic to aquatic species. DO NOT contaminate dams, rivers, streams or other waterways with the chemical or the used container.

Section 13 – Disposal Considerations

Product Disposal: Dispose of product only by using according to label or at an approved landfill.

Container Disposal: Dispose of container by wrapping with paper and putting in garbage. Discarded needles/sharps should immediately be placed in a designated and appropriately labelled 'sharps' container.

Section 14 – Transport Information

No specific transport considerations apply since Vetmec Moxiguard Long Acting Injection for Sheep is NOT classified as a dangerous good according to Australian Dangerous Goods (ADG) Code.

Section 15 – Regulatory Information

Poisons Schedule: S5.

APVMA Approval Number: 95081

Approved pack size: 200mL, 500mL

For more information, please refer to the APVMA approved product label.

Section 16 – Other Information

Chemvet Australia Pty Ltd
Telephone Number: 1800 243 683

Emergency Number: Australian Poisons Information Centre: 131 126 (24 Hour Service).

This Safety Data Sheet (SDS) summarises our best knowledge of the health and safety hazard information of the product, according to the GHS requirements and how to safely handle and use the product in the workplace.

Each user must review this SDS in the context of how the product will be handled and used in the workplace.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

This SDS is valid for 5 years from the effective date.